

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 02/24/2006

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/510,334	02/22/2000	Toshikazu Ohshima	2355.11105	1732	
5514	7590 02/24/2006		EXAMINER		
FITZPATRICK CELLA HARPER & SCINTO			MOSSER, ROBERT E		
30 ROCKEFELLER PLAZA NEW YORK, NY 10112		ART UNIT	PAPER NUMBER		
new rotat,	10112		3713		

Please find below and/or attached an Office communication concerning this application or proceeding.

## Supplemental Notice of Allowability

Application No.	Applicant(s)		
09/510,334	OHSHIMA, TOSHIKAZU		
Examiner	Art Unit		
Robert Mosser	3713		

	Robert Mosser	3713	
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course. <b>THIS</b>
1. This communication is responsive to <u>RCE filed 8/26/2005</u> .			
2. The allowed claim(s) is/are 1,3,5,8-11,13,16,18 and 29.			
<ul> <li>3.</li></ul>	been received.  been received in Application No cuments have been received in this is of this communication to file a reply of this application.  itted. Note the attached EXAMINER' as reason(s) why the oath or declarate the submitted. Son's Patent Drawing Review (PTO- as Amendment / Comment or in the Comment or in the Comment of the drawing the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in the header according to 37 CFR 1.121(const	national stage applical complying with the red S AMENDMENT or Nation is deficient.  948) attached office action of the label of the front (not the label).	quirements
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application (PT	O-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),	•
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 8), 7. 🛛 Examiner's Amendr		
Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme 9. ⊠ Other <u>See Continua</u>	ent of Reasons for Allo	wance
	SUPERVISOR	ANIM. THAT	ER

Continuation of Attachment(s) 9. Other: Interview Summarys PTO-413B (2 Total).

Application/Control Number: 09/510,334

Art Unit: 3713

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Brian L. Klock on October 21, 2005 and October 26<sup>th</sup>, 2005.

The application has been amended as follows:

On the second line of claim 1 insert –adapted to be- after the word "sensor" and before the word "attached".

On the fifth line of claim 1 <u>insert</u> –adapted to be- after the word "sensor" and before the word "attached".

On the third line of claim 18 <u>replace</u> the phrase "of detecting" with —adapted to detecting- after the word "step" and before the phrase "a location".

On the sixth line of claim 18 <u>insert</u> –adapted to be- after the phrase "first sensor" and before the word "attached".

On the sixth line of claim 18 <u>insert</u> –adapted to be- after the phrase "second sensor" and before the word "attached".

On the seventh line of claim 18 replace the word "detects" with –adapted to detect– after the word "sensor" and before the phrase "a position".

Application/Control Number: 09/510,334

Art Unit: 3713

On the twelfth line of claim 18 <u>insert</u>-adapted to be- after the word "head" and before the word "detected".

On the forth line of claim 28 replace the phrase "of detecting" with -adapted to detecting- after the word "step" and before the phrase "a location".

On the seventh line of claim **28** <u>insert</u>—adapted to be- after the phrase "first sensor" and before the word "attached".

On the seventh line of claim 28 insert –adapted to be- after the phrase "second sensor" and before the word "attached".

On the eighth line of claim 28 <u>replace</u> the word "detects" with –adapted to detect– after the word "sensor" and before the phrase "a position".

On the twelfth line of claim 28 insert –adapted to be– after the word "head" and before the word "detected".

Authorization for this supplemental examiner's amendment was given in a telephone interview with Gary Jacobs on Feburary 7<sup>th</sup>, 2006.

The application has been amended as follows:

On page 7, Line 4 of the specification <u>replace</u> the phrase "10 or 25" with -6-.

The following is an examiner's statement of reasons for allowance: The prior art of record fails to provide for a user interface apparatus that estimates the relative

Application/Control Number: 09/510,334

Art Unit: 3713

position of a portion of the users body with respect to a head portion based on a head coordinate system.

The closest reference of record Foxlin (US 6,757,068) fails to qualify as prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert Mosser whose telephone number is (571)-272-4451. The examiner can normally be reached on 8:30-4:30 Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Xuan M. Thai can be reached on (571)272-7147. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SUPERVISORY PATENT EXAMINER

TC3700